

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/29/2025	Complete
Residual Solvents	05/01/2025	Pass
Microbials	05/07/2025	Pass
Mycotoxins	05/02/2025	Pass
Pesticides	05/02/2025	Pass
Heavy Metals	05/08/2025	Pass
Foreign Matter	05/07/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

0.26% Total THC	ND Total CBD	0.27% Total Cannabinoids
---------------------------	------------------------	------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.00	ND	ND	CBN	0.00	ND	ND
CBDV	0.00	ND	ND	Δ9-THC	0.00	0.26	13.1
CBDa	0.00	ND	ND	Δ8-THC	0.00	0.01	0.5
CBGa	0.00	ND	ND	(6aR,9S)-d10-THC	0.00	ND	ND
CBG	0.00	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.00	ND	ND	CBC	0.00	ND	ND
THCV	0.00	ND	ND	CBCa	0.00	ND	ND
Δ8-THCV	0.00	ND	ND	THCa	0.00	ND	ND
THCVa	0.00	ND	ND	Total		0.27	13.6

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025; Date Tested: 04/29/2025
20 servings per container.

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
---	---	-------------------------------




Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 6

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	300.0	ND	Pass	Fludioxonil	3000	ND	Pass
Acephate	3000	ND	Pass	Hexythiazox	2000	ND	Pass
Acequinocyl	2000	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	3000	ND	Pass	Imidacloprid	3000	ND	Pass
Aldicarb	100.0	ND	Pass	Kresoxim Methyl	1000	ND	Pass
Azoxystrobin	3000	ND	Pass	Malathion	2000	ND	Pass
Bifenazate	3000	ND	Pass	Metalaxyl	3000	ND	Pass
Bifenthrin	500.0	ND	Pass	Methiocarb	100.0	ND	Pass
Boscalid	3000	ND	Pass	Methomyl	100.0	ND	Pass
Captan	3000	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Myclobutanil	3000	ND	Pass
Carbofuran	100.0	ND	Pass	Naled	500.0	ND	Pass
Chlorantraniliprole	3000	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	3000	ND	Pass	Pentachloronitrobenzene	200.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Permethrin	1000	ND	Pass
Clofentezine	500.0	ND	Pass	Phosmet	200.0	ND	Pass
Coumaphos	100.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	1000	ND	Pass	Prallethrin	400.0	ND	Pass
Cypermethrin	1000	ND	Pass	Propiconazole	1000	ND	Pass
Daminozide	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	200.0	ND	Pass	Pyrethrins	1000	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyridaben	3000	ND	Pass
Dimethoate	100.0	ND	Pass	Spinetoram	3000	ND	Pass
Dimethomorph	3000	ND	Pass	Spinosad	3000	ND	Pass
Ethoprophos	100.0	ND	Pass	Spiromesifen	3000	ND	Pass
Etofenprox	100.0	ND	Pass	Spirotetramat	3000	ND	Pass
Etoxazole	1500.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	3000	ND	Pass	Tebuconazole	1000	ND	Pass
Fenoxycarb	100.0	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	2000	ND	Pass	Thiamethoxam	1000	ND	Pass
Fipronil	100.0	ND	Pass	Trifloxystrobin	3000	ND	Pass
Flonicamid	2000	ND	Pass				

Date Tested: 05/02/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

3 of 6

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314

Microbials

Pass

Analyte	LOD CFU/g	Limit CFU/g	Result CFU/g	Status
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			NR	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 05/07/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 05/07/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Arsenic	0.1	1.5	ND	Pass
Cadmium	0.1	0.5	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	3	ND	Pass

Date Tested: 05/08/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

4 of 6

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314

Residual Solvents

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2,2-Dimethyl-Butane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
2-Methyl-Pentane			ND	Tested
3-Methyl-Pentane			ND	Tested
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes		5000	ND	Pass
Chloroform	0.2	2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	<79.000	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol			ND	Tested
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Hexanes		250	ND	Pass
Isobutane			ND	Tested

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 05/01/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

5 of 6

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Isopentane			ND	Tested
Isopropanol	40	500	ND	Pass
Isopropyl-Acetate			ND	Tested
m+p Xylene			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71		ND	Tested
Hexane	5		ND	Tested
Pentane	59		ND	Tested
Neopentane			ND	Tested
o-Xylene			ND	Tested
Pentanes		750	ND	Pass
Propane	165	5000	ND	Pass
Tetrahydrofuran			ND	Tested
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 05/01/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

6 of 6

Blue Dream 12mg

Sample ID: 2504AFL0769.3312

Internal Lab ID: ATL-29016

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/25/2025

Lic. #

Type: Soft Chew

Completed: 05/09/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.068 g

Batch#: TTBD12-1

Davie, FL 33314

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0226	0.0528		ND	Tested
B2	0.0329	0.0768		ND	Tested
G1	0.0046	0.0107		ND	Tested
G2	0.0108	0.0252		ND	Tested
Ochratoxin A	0.0259	0.0604	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Date Tested: 05/02/2025




Paulo Gonzalez
Laboratory Director
05/09/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

