




Cannabinoid Profile

Customer: GEO CBD
Customer Sample ID: F0190605-1200
Laboratory Number: 201906-0278
Extraction Technician: DF
Analytical Chemist: CB
Density (g/mL): 0.957

Extraction Date(s):	Analysis Date(s)
6/10/2019	6/10/2019

Cannabinoid (HPLC)		Results	
	LOD (mg/mL)	Percent	mg/mL
Cannabidivarin (CBDV)	<0.2		
Cannabidiolic acid (CBD-A)	<0.2		
Cannabigerolic acid (CBG-A)	<0.2		
Cannabigerol (CBG)		0.057%	0.57
Cannabidiol (CBD)		4.168%	41.68
Tetrahydrocannabivarin (THCV)	<0.2		
Cannabinol (CBN)	<0.2		
(-)-trans- Δ^8 -tetrahydrocannabinol (THC)		0.173%	1.73
Δ^8 -Tetrahydrocannabinol	<0.2		
Cannabichromene (CBC)		0.228%	2.28
Δ^9 -Tetrahydrocannabinolic acid A (THC-A)	<0.2		
Cannabinoids Total		Percent	mg/mL
Max Active THC		0.17%	1.73
Max Active CBD		4.17%	41.68
T. Active Cannabinoids		4.63%	46.26
Total Cannabinoids		4.63%	46.26
Ratios			
24.04 1 CBD to THC		0.04 :1 THC to CBD	



Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

This report expires 30 days after analysis date.




Terpenes Profile

Customer: GEO CBD
Customer Sample ID: F0190605-1200
Laboratory Number: 201906-0278
Extraction Technician: DF
Analytical Chemist: MF
Density (g/mL): 0.957

Extraction Date(s)	Analysis Date(s)
6/10/2019	6/11/2019

Terpene	Results	Terpene	Results
	ug/mL		ug/mL
alpha-Pinene		Isoborneol	
Camphene		Hexahydrothymol	
Sabinene		(+)-Borneol & (-) Borneol	
(-)-beta-Pinene		alpha-Terpineol	
beta-Myrcene		gamma-Terpineol	
p-Mentha-1-5-diene		Nerol	
(1S)-(+)-3-Carene		Geraniol	
alpha-Terpinene		(+)-Pulegone	
Ocimere Peak 1		Geranyl Acetate	
(R)-(+)-Limonene		alpha-Cedrene	
Ocimere Peak 2		trans-Caryophyllene	671.72
Eucalyptol		alpha-Humulene	172.01
gamma-Terpinene		Valencene	
Sabinene Hydrate		cis-Nerolidol	
Terpinolene		trans-Nerolidol	23.14
Linalool		Guaiol	97.49
(+)-Fenchone & L(-)-Fenchone		(-)-Caryophyllene Oxide	106.78
(1R)-Endo-(+)-Fenchyl		(+)-Cedrol	
(-)-Isopulegol		(-)-alpha-Bisabolol	194.63
Camphor & (1S)-(-)-Camphor			

Empty result indicates data is less than detection limit. Reporting Limit is roughly 100 ug/mL depending on amount extracted.



Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.



Residual Solvents Profile

Customer: GEO CBD
Customer Sample ID: F0190605-1200
Laboratory Number: 201906-0278
Extraction Technician: DF
Analytical Chemist: MF

Extraction Date(s):	Analysis Date(s)
6/10/2019	6/10/2019

Residual Solvent	Results	Limits ¹	Limits ²
	(ug/g)	(ug/g)	(ug/g)
Propane	<100	100-2000	1000
Isobutane	<100	100-2000	1000
Methanol	<100	100-2000	
Butane	<100	100-2000	1000
Isopropanol	<100	100-2000	1000
Ethanol	110.2	100-2000	1000
2-Methyl Butane	<100	100-2000	1000
Acetonitrile	<100	100-2000	
Acetone	<100	100-2000	1000
Pentane	<100	100-2000	1000
Hexane	<50	50-2000	60
Tetrahydrofuran	<100	100-2000	
Benzene	<1	1.0-50	2
Heptane	<100	100-2000	1000
Toluene	<100	100-2000	180
Ethylbenzene	<100	100-2000	
m+p Xylene	<100	100-2000	Total Xylene 430
o-Xylene	<100	100-2000	
1,2,3 Trimethylbenzene	<100	100-2000	

Empty result indicates data is less than 5.0 ug/g

1: Calibration Range

2: Limits based on Colorado Code of Regulations 1CCR 212-1.

This report expires 30 days after analysis date.



Metals/Microbial Profile

Customer: GEO CBD
Customer Sample ID: FO190605-1200
Laboratory Number: 201906-0412
Extraction Technician MTO
Analytical Chemist: RH

Extraction Date(s):	Analysis Date(s)
6/14/2019	6/18/2019

Metals (ICP/MS)		Results
	Method Code	ug/Kg (ppb)
Arsenic (As)	ICPMS.1	NA
Cadmium (Cd)	ICPMS.1	NA
Lead (Pb)	ICPMS.1	NA
Mercury (Hg)	ICPMS.1	NA

Limits for metals vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods.

The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

		Results	
	Method Code		Units
Salmonella spp.	Salm.1	Negative	/1g
Non-O157 STEC*	STEC.1.b	Negative	/1g
Listeria monocytogenes	Lmono.2	Negative	/1g
Aerobic Plate Count	APC.1a	<10	CFU/g
Total Coliform Bacteria	TCEC.1a	<10	CFU/g
Escherichia coli	TCEC.1a	<10	CFU/g
Staphylococcus aureus	S.aureus.1.a	<10	CFU/g
Yeast & Mold	Y&M.1a	<10	CFU/g

Limits for microbials vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods.

The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

This report expires 30 days after analysis date.



Altitude Consulting LLC
3262 So. Platte River Drive
Englewood, CO. 80110

Email: Gary@AltitudeConsultingllc.com
Ph: 303.390.1662
www.altitudeconsultingllc.com

Sample Name	201906-0278	Operator	LCTQ
Sample ID	F0190605-1200	Method	Triple Quad 4500
Acquisition Date	2019-06-12T01:56:28	Result Table	06112019
Data File	20190611.wiff	Sample Type	

Pesticides	Conc. (ppm)	Pos/Neg	Action Level (ppm)	Comments
ACEPHATE	0.000	NEG	0.040	
ACEQUINOCYL	0.000	NEG	0.200	
ACETAMIPRID	0.000	NEG	0.020	
ALDICARB	0.000	NEG	0.040	
AVERMECTIN B1B	0.000	NEG	0.070	
AZOXYSTROBIN	0.000	NEG	0.020	
BIFENAZATE	0.000	NEG	0.020	
BIFENTHRIN	0.000	NEG	0.020	
BOSCALID	0.000	NEG	0.040	
CARBARYL	0.000	NEG	0.020	
CARBOFURAN	0.000	NEG	0.020	
CHLORANTRANILIPROLE	0.000	NEG	0.020	
CHLOREFENAPYR	0.000	NEG	0.100	
CHLORPYRIFOS	0.000	NEG	0.020	
CLOFENTEZINE	0.000	NEG	0.020	
CYFLUTHRIN	0.000	NEG	0.100	
CYPERMETHRIN	0.000	NEG	0.100	
DAMINOZIDE	0.000	NEG	0.100	
DIAZINON	0.000	NEG	0.020	
DICHLORVOS	0.000	NEG	0.010	
DIMETHOATE	0.000	NEG	0.020	
ETHOPROPHOS	0.000	NEG	0.020	
ETOXENPROX	0.000	NEG	0.040	
ETOXAZOLE	0.000	NEG	0.010	
FENOXYCARB	0.000	NEG	0.020	
FENPYROXIMATE	0.000	NEG	0.040	
FIPRONIL	0.000	NEG	0.040	
FLONICAMID	0.000	NEG	0.100	
FLUDIOXONIL	0.000	NEG	0.040	
HEXYTHIAZOX	0.000	NEG	0.100	
IMAZALIL	0.000	NEG	0.040	
IMIDACLOPRID	0.000	NEG	0.020	
KRESOXIM-METHYL	0.000	NEG	0.040	
MALATHION A	0.000	NEG	0.050	

P = Present but below limit

Disclaimer: The development and performance characteristics of these tests were determined by Altitude Lab Solutions and have not been cleared by the FDA.



Altitude Consulting LLC
3262 So. Platte River Drive
Englewood, CO. 80110

Email: Gary@AltitudeConsultingllc.com
Ph: 303.390.1662
www.altitudeconsultingllc.com

METALAXYL	0.000	NEG	0.020	
METHIOCARB	0.000	NEG	0.020	
METHOMYL	0.000	NEG	0.040	
MGK 264	0.000	NEG	0.020	
MYCLOBUTANIL	0.000	NEG	0.040	
NALED	0.000	NEG	0.050	
OXAMYL	0.000	NEG	0.100	
PACLOBUTRAZOL	0.000	NEG	0.040	
PARATHION METHYL	0.000	NEG	0.100	
PERMETHRINS	0.000	NEG	0.040	
PHOSMET	0.000	NEG	0.020	
PIPERONYL BUTOXIDE	0.000	NEG	0.200	
PRALLETHRIN	0.000	NEG	0.020	
PROPICONAZOLE	0.000	NEG	0.040	
PROPOXURE	0.000	NEG	0.020	
PYRETHRINS CINERIN 1	0.000	NEG	0.500	
PYRETHRINS JASMOLIN 1	0.000	NEG	0.500	
PYRETHRINS PYRETHRIN 1	0.000	NEG	0.500	
PYRIDABEN	0.000	NEG	0.020	
SPINOSYN A	0.000	NEG	0.060	
SPINOSYN D	0.000	NEG	0.060	
SPIROMESIFEN	0.000	NEG	0.030	
SPIROTETRAMAT	0.000	NEG	0.020	
SPIROXAMINE	0.000	NEG	0.040	
TEBUCONAZOLE	0.000	NEG	0.010	
THIACLOMPRID	0.000	NEG	0.020	
THIAMETHOXAM	0.000	NEG	0.020	
TRIFLOXYSTROBIN	0.000	NEG	0.020	

P = Present but below limit

Disclaimer: The development and performance characteristics of these tests were determined by Altitude Lab Solutions and have not been cleared by the FDA.