

## PD Strawberry Lemonade

Sample ID: 2507AFL1179.4967  
Strain: PD Strawberry Lemonade  
Matrix: Ingestible  
Type: Soft Chew  
Unit Weight: 5.47 g

Internal Lab ID: ATL-30621  
Received: 07/02/2025  
Completed: 07/18/2025  
Batch#: PD-STRAWLEM

Client  
Tillmans Tranquils  
Lic. #  
4757 sw 51st street Davie, FL 33314  
Davie, FL 33314



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 07/03/2025  | Complete |
| Residual Solvents | 07/14/2025  | Pass     |
| Microbials        | 07/17/2025  | Pass     |
| Mycotoxins        | 07/15/2025  | Pass     |
| Pesticides        | 07/15/2025  | Pass     |
| Heavy Metals      | 07/17/2025  | Pass     |
| Foreign Matter    | 07/17/2025  | Pass     |

### Basic Potency

Complete

|                           |                           |                                    |
|---------------------------|---------------------------|------------------------------------|
| <b>0.29%</b><br>Total THC | <b>0.31%</b><br>Total CBD | <b>0.61%</b><br>Total Cannabinoids |
|---------------------------|---------------------------|------------------------------------|

| Analyte         | LOQ  | Result | Result  | Analyte          | LOQ  | Result      | Result      |
|-----------------|------|--------|---------|------------------|------|-------------|-------------|
|                 | %    | %      | mg/unit |                  | %    | %           | mg/unit     |
| CBDVa           | 0.00 | ND     | ND      | CBN              | 0.00 | ND          | ND          |
| CBDV            | 0.00 | ND     | ND      | $\Delta$ 9-THC   | 0.00 | 0.29        | 16.1        |
| CBDa            | 0.00 | ND     | ND      | $\Delta$ 8-THC   | 0.00 | 0.01        | 0.4         |
| CBGa            | 0.00 | ND     | ND      | (6aR,9S)-d10-THC | 0.00 | ND          | ND          |
| CBG             | 0.00 | ND     | ND      | (6aR,9R)-d10-THC | 0.00 | ND          | ND          |
| CBD             | 0.00 | 0.31   | 16.9    | CBC              | 0.00 | ND          | ND          |
| THCV            | 0.00 | ND     | ND      | CBCa             | 0.00 | ND          | ND          |
| $\Delta$ 8-THCV | 0.00 | ND     | ND      | THCa             | 0.00 | ND          | ND          |
| THCVa           | 0.00 | ND     | ND      | <b>Total</b>     |      | <b>0.61</b> | <b>33.4</b> |

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025

Date Tested: 07/03/2025

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDa)

|                                                             |                                                           |                                                                                                |
|-------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>NT</b><br>Not Tested<br>Document ID:<br>Moisture Content | <b>NT</b><br>Not Tested<br>Document ID:<br>Water Activity | <b>Pass</b><br>Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3<br>Foreign Matter |
|-------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|



  
Paulo Gonzalez  
Laboratory Director  
07/18/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## PD Strawberry Lemonade

Sample ID: 2507AFL1179.4967

Internal Lab ID: ATL-30621

Client

Strain: PD Strawberry Lemonade

Tillmans Tranquils

Matrix: Ingestible

Received: 07/02/2025

Lic. #

Type: Soft Chew

Completed: 07/18/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.47 g

Batch#: PD-STRAWLEM

Davie, FL 33314

## Pesticides

Pass

| Analyte              | Limit  | Result | Status | Analyte                 | Limit | Result | Status |
|----------------------|--------|--------|--------|-------------------------|-------|--------|--------|
|                      | PPB    | PPB    |        |                         | PPB   | PPB    |        |
| Abamectin            | 300.0  | ND     | Pass   | Fludioxonil             | 3000  | ND     | Pass   |
| Acephate             | 3000   | ND     | Pass   | Hexythiazox             | 2000  | ND     | Pass   |
| Acequinocyl          | 2000   | ND     | Pass   | Imazalil                | 100.0 | ND     | Pass   |
| Acetamiprid          | 3000   | ND     | Pass   | Imidacloprid            | 3000  | ND     | Pass   |
| Aldicarb             | 100.0  | ND     | Pass   | Kresoxim Methyl         | 1000  | ND     | Pass   |
| Azoxystrobin         | 3000   | ND     | Pass   | Malathion               | 2000  | ND     | Pass   |
| Bifenazate           | 3000   | ND     | Pass   | Metalaxyl               | 3000  | ND     | Pass   |
| Bifenthrin           | 500.0  | ND     | Pass   | Methiocarb              | 100.0 | ND     | Pass   |
| Boscalid             | 3000   | ND     | Pass   | Methomyl                | 100.0 | ND     | Pass   |
| Captan               | 3000   | ND     | Pass   | Mevinphos               | 100.0 | ND     | Pass   |
| Carbaryl             | 500.0  | ND     | Pass   | Myclobutanil            | 3000  | ND     | Pass   |
| Carbofuran           | 100.0  | ND     | Pass   | Naled                   | 500.0 | ND     | Pass   |
| Chlorantraniliprole  | 3000   | ND     | Pass   | Oxamyl                  | 500.0 | ND     | Pass   |
| Chlordane            | 100.0  | ND     | Pass   | Paclobutrazol           | 100.0 | ND     | Pass   |
| Chlorfenapyr         | 100.0  | ND     | Pass   | Parathion Methyl        | 100.0 | ND     | Pass   |
| Chlormequat chloride | 3000   | ND     | Pass   | Pentachloronitrobenzene | 200.0 | ND     | Pass   |
| Chlorpyrifos         | 100.0  | ND     | Pass   | Permethrin              | 1000  | ND     | Pass   |
| Clofentezine         | 500.0  | ND     | Pass   | Phosmet                 | 200.0 | ND     | Pass   |
| Coumaphos            | 100.0  | ND     | Pass   | Piperonyl Butoxide      | 3000  | ND     | Pass   |
| Cyfluthrin           | 1000   | ND     | Pass   | Prallethrin             | 400.0 | ND     | Pass   |
| Cypermethrin         | 1000   | ND     | Pass   | Propiconazole           | 1000  | ND     | Pass   |
| Daminozide           | 100.0  | ND     | Pass   | Propoxur                | 100.0 | ND     | Pass   |
| Diazinon             | 200.0  | ND     | Pass   | Pyrethrins              | 1000  | ND     | Pass   |
| Dichlorvos           | 100.0  | ND     | Pass   | Pyridaben               | 3000  | ND     | Pass   |
| Dimethoate           | 100.0  | ND     | Pass   | Spinetoram              | 3000  | ND     | Pass   |
| Dimethomorph         | 3000   | ND     | Pass   | Spinosad                | 3000  | ND     | Pass   |
| Ethoprophos          | 100.0  | ND     | Pass   | Spiromesifen            | 3000  | ND     | Pass   |
| Etofenprox           | 100.0  | ND     | Pass   | Spirotetramat           | 3000  | ND     | Pass   |
| Etoxazole            | 1500.0 | ND     | Pass   | Spiroxamine             | 100.0 | ND     | Pass   |
| Fenhexamid           | 3000   | ND     | Pass   | Tebuconazole            | 1000  | ND     | Pass   |
| Fenoxycarb           | 100.0  | ND     | Pass   | Thiacloprid             | 100.0 | ND     | Pass   |
| Fenpyroximate        | 2000   | ND     | Pass   | Thiamethoxam            | 1000  | ND     | Pass   |
| Fipronil             | 100.0  | ND     | Pass   | Trifloxystrobin         | 3000  | ND     | Pass   |
| Flonicamid           | 2000   | ND     | Pass   |                         |       |        |        |

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 07/15/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



  
Paulo Gonzalez  
Laboratory Director  
07/18/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## PD Strawberry Lemonade

Sample ID: 2507AFL1179.4967

Internal Lab ID: ATL-30621

Client

Strain: PD Strawberry Lemonade

Tillmans Tranquils

Matrix: Ingestible

Received: 07/02/2025

Lic. #

Type: Soft Chew

Completed: 07/18/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.47 g

Batch#: PD-STRAWLEM

Davie, FL 33314

### Microbials

Pass

| Analyte                                         | LOD   | Limit  | Result             | Status |
|-------------------------------------------------|-------|--------|--------------------|--------|
|                                                 | CFU/g | CFU/g  | CFU/g              |        |
| Total Aerobic Count                             | 10    |        | NR                 | NT     |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1     | 1      | Not Detected in 1g | Pass   |
| Bile-Tolerant Gram-Negative Bacteria            |       |        | NR                 | NT     |
| Shiga toxin-producing E. Coli                   | 1     | 1      | Not Detected in 1g | Pass   |
| Salmonella                                      | 1     | 1      | Not Detected in 1g | Pass   |
| Staphylococcus aureus                           | 10    |        | NR                 | NT     |
| Total Combined Yeast and Mold                   | 10    | 100000 | ND                 | Pass   |

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

| Analyte                | Limit       | Result      | Status |
|------------------------|-------------|-------------|--------|
|                        | % by weight | % by weight |        |
| Packaging Contaminants | 0.01        | ND          | Pass   |
| Insects                | 0.01        | ND          | Pass   |
| Feces                  | 0.005       | ND          | Pass   |
| Mold                   | 0.01        | ND          | Pass   |
| FM Other               |             | ND          | Pass   |
| Hair                   | 0.01        | ND          | Pass   |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3

Date Tested: 07/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Pass

| Analyte | LOQ  | Limit | Result | Status |
|---------|------|-------|--------|--------|
|         | µg/g | µg/g  | µg/g   |        |
| Arsenic | 0.1  | 1.5   | ND     | Pass   |
| Cadmium | 0.1  | 0.5   | ND     | Pass   |
| Lead    | 0.1  | 0.5   | ND     | Pass   |
| Mercury | 0.1  | 3     | ND     | Pass   |

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: NA

Date Tested: 07/17/2025



Paulo Gonzalez  
Laboratory Director  
07/18/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## PD Strawberry Lemonade

Sample ID: 2507AFL1179.4967

Internal Lab ID: ATL-30621

Client

Strain: PD Strawberry Lemonade

Tillmans Tranquils

Matrix: Ingestible

Received: 07/02/2025

Lic. #

Type: Soft Chew

Completed: 07/18/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.47 g

Batch#: PD-STRAWLEM

Davie, FL 33314

### Residual Solvents

Pass

| Analyte             | LOQ  | Limit | Result  | Status | Analyte            | LOQ  | Limit | Result  | Status |
|---------------------|------|-------|---------|--------|--------------------|------|-------|---------|--------|
|                     | µg/g | µg/g  | µg/g    |        |                    | µg/g | µg/g  | µg/g    |        |
| 1,1 Dichloroethene  | 0.7  | 8     | ND      | Pass   | Ethylene Oxide     | 0.4  | 5     | ND      | Pass   |
| Ethylene Dichloride | 0.2  | 2     | ND      | Pass   | Heptane            | 40   | 5000  | ND      | Pass   |
| 1,4-Dioxane         |      |       | ND      | Tested | Hexanes            |      | 250   | ND      | Pass   |
| 2,2-Dimethyl-Butane |      |       | ND      | Tested | Isobutane          |      |       | ND      | Tested |
| 2,3-Dimethyl-Butane |      |       | ND      | Tested | Isopentane         |      |       | ND      | Tested |
| 2-Butanol           |      |       | ND      | Tested | Isopropanol        | 40   | 500   | ND      | Pass   |
| 2-Ethoxy-Ethanol    |      |       | ND      | Tested | Isopropyl-Acetate  |      |       | ND      | Tested |
| 2-Methyl-Pentane    |      |       | ND      | Tested | m+p Xylene         |      |       | ND      | Tested |
| 3-Methyl-Pentane    |      |       | ND      | Tested | Methanol           | 20   | 250   | <20,000 | Pass   |
| Acetone             | 59   | 750   | <59,000 | Pass   | Methylene Chloride | 10   | 125   | ND      | Pass   |
| Acetonitrile        | 5    | 60    | ND      | Pass   | Butane             | 71   |       | ND      | Tested |
| Benzene             | 0.08 | 1     | ND      | Pass   | Hexane             | 5    |       | ND      | Tested |
| Butanes             |      | 5000  | ND      | Pass   | Pentane            | 59   |       | ND      | Tested |
| Chloroform          | 0.2  | 2     | ND      | Pass   | Neopentane         |      |       | ND      | Tested |
| Cumene              |      |       | ND      | Tested | o-Xylene           |      |       | ND      | Tested |
| Cyclohexane         |      |       | ND      | Tested | Pentanes           |      | 750   | ND      | Pass   |
| Ethanol             | 79   | 5000  | ND      | Pass   | Propane            | 165  | 5000  | ND      | Pass   |
| Ethyl Acetate       | 20   | 400   | ND      | Pass   | Tetrahydrofuran    |      |       | ND      | Tested |
| Ethyl-Benzene       |      |       | ND      | Tested | Toluene            | 12   | 150   | ND      | Pass   |
| Ethyl Ether         | 40   | 500   | ND      | Pass   | Trichloroethene    | 2    | 25    | ND      | Pass   |
| Ethylene Glycol     |      |       | ND      | Tested | Xylenes            | 12   | 150   | ND      | Pass   |

ACCURATE  
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/14/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez  
Laboratory Director  
07/18/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>

QA Testing

5 of 5

## PD Strawberry Lemonade

Sample ID: 2507AFL1179.4967

Internal Lab ID: ATL-30621

Client

Strain: PD Strawberry Lemonade

Tillmans Tranquils

Matrix: Ingestible

Received: 07/02/2025

Lic. #

Type: Soft Chew

Completed: 07/18/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.47 g


Batch#: PD-STRAWLEM

Davie, FL 33314

### Mycotoxins

Pass

| Analyte          | LOD    | LOQ    | Limit | Result | Status |
|------------------|--------|--------|-------|--------|--------|
|                  | µg/kg  | µg/kg  | µg/kg | µg/kg  |        |
| B1               | 0.0226 | 0.0528 |       | ND     | Tested |
| B2               | 0.0329 | 0.0768 |       | ND     | Tested |
| G1               | 0.0046 | 0.0107 |       | ND     | Tested |
| G2               | 0.0108 | 0.0252 |       | ND     | Tested |
| Ochratoxin A     | 0.0259 | 0.0604 | 20    | ND     | Pass   |
| Total Aflatoxins |        |        | 20    | ND     | Pass   |



Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1  
Date Tested: 07/15/2025



Paulo Gonzalez  
Laboratory Director  
07/18/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.