

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides

Pass

Pesticides

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Evaluation Summary



OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@prelab.com | Prelab.com

Product Description

Client: 3B Analytical

Product Name: 3B. 1906.0686

Matrix: Concentrate

Metric ID: n/a

Lot Number: 0

License Number: 0

Report ID: A0229-04

Date Collected: 2019-06-12

Date Received: 2019-06-12

Report Date: 2019-06-24

Tests Requested: Pesticide Analysis

Evaluation Summary

Pesticide Analysis	Pesticide Status
No Pesticides Were Detected above Oregon's action limit as stated in OAR 333-007-0400.	

Notes: The initial calibration verification (70-130%) fails for Bifenazate (173%) and Daminozide (22.21%). Compounds are not reportable. R&D results may not be used for compliance purposes.

Report ID: A0229-04 | Page 1 of 10 | Rev 19.8 06/20/2019

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Definition

OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com

PRE
LABORATORIES

Definitions

- PQL: Practical Quantitation Limit, this is the smallest amount the analyte can be measured at without estimation.
- Blank: A quality control sample that is free of the analyte being measured.
- Positive Control: A quality control sample with a known amount of the analyte used to demonstrate accuracy. The result is often expressed as a percent recovery.
- Field Duplicate: A second sample collected in the field using the same sampling method as the primary sample. The purpose is to demonstrate that the batch sampled is uniform.
- Action Limit: Analyte levels set by the state of Oregon indicating that follow-up action is necessary.
- Accreditation Status: Indication that the methodology, calibration, and laboratory QC used by PRE Laboratory for an analyte has been evaluated by a third-party auditor and determined to be accurate, precise, and selective.
- ppm: parts per million, equivalent to mg/g and mg/L.
- % Rec.: Percentage Recovery = $[(\text{Amount measured}) / (\text{Known amount})] \times 100$
- ND: The sample result is less than the PQL.

Calculations

- Cannabinoid Potency :

$$\text{Wet WT\%} = (\text{Exported concentration ppm}) \times (\text{Dilution}) \times (\text{Extraction Vol./Wet wt mg}) \times 100$$

$$\text{Total THC\%} = (\% \text{THCA}) \times 0.877 + (\% \text{THC})$$

$$\text{Total CBD\%} = (\% \text{CBDA}) \times 0.877 + (\% \text{CBD})$$

$$\text{Total THC (Dry WT)\%} = \% \text{total THC(wet)} / [1 - (\% \text{moisture}/100)]$$

$$\text{Total CBD (Dry WT)\%} = \% \text{total CBD(wet)} / [1 - (\% \text{moisture}/100)]$$

Report ID: A0229-04 | Page 10 of 10 | Rev 19.8 06/20/2019

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g

Sample Received: 06/11/2019; Report Created: 06/24/2019

Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Dear Customer

PREE
LABORATORIES

OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com

Dear 3B Analytical,

PREE Laboratory received samples on 2019-06-12, which were collected on 2019-06-12 by Gina Erdmann. The results in this report are only applicable for the samples listed in this report.

All analyses were performed in accordance with PREE Laboratory NELAP/TNI approved quality control system unless otherwise noted in the case narrative of this report. All quality control data is within the laboratory's predefined acceptance criteria unless otherwise noted in the case narrative of this report.

The testing methods used are of sufficient sensitivity to meet the compliance criteria set in OAR 333-007, however it is the responsibility of the client to utilize the data to comply with standards set in OAR 333-007.

If you have any questions regarding information in this report, please feel free to call 541-257-5002 or email the laboratory at services@preelab.com.

Sardar, Tamizid | Laboratory Director
Corvallis, Oregon

Report ID: A0229-04 | Page 2 of 10 | Rev 19.8 06/20/2019

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Case Narrative

PREE
LABORATORIES

OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com

Case Narrative

This report presents the results of the analyses of the sample received on 2019-06-12 and assigned the Laboratory Number of - A0229-04. The subsequent data is only for the sample listed and parameters tested.

This report shall not be reproduced, except in full, without written consent of PREE Laboratory. This report may not be altered in anyway by any other entity beside PREE Laboratory, and will be noted on this case narrative if modifications are made after the initial release.

All analyses were performed in accordance with PREE Laboratory's Quality Control Program. All QC requirements were met, except as noted below.

Analytical comments are noted on the Certificate of Analysis with data flags, and/or recorded below.

Notes:

The initial calibration verification (70-130%) fails for Bifenazate (173%) and Daminozide (22.21%).
Compounds are not reportable. R&D results may not be used for compliance purposes.

Report ID: A0229-04 | Page 3 of 10 | Rev 19.8 06/20/2019

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Evaluation Detail



OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@prelab.com | Prelab.com

Pesticide Analysis

Product Name: 3B.1906.0686

Testing Date: 2019-06-21
Technician ID: Sardar, T.
Analysis Date: 2019-06-24
Analyst ID: Maxey, K.
Review Date: 2019-06-24
Reviewer ID: Fordyce, K.

Evaluation Detail

Pesticide Name	Tested Value (ppm)	Pass Criteria (ppm)	LOQ (ppm)	Status Pass/Unsatisfactory
Abamectin B1a	< LOQ	0.50	0.20	Pass
Acephate	< LOQ	0.40	0.20	Pass
Acequinocyl	< LOQ	2.00	0.20	Pass
Acetamiprid	< LOQ	0.20	0.20	Pass
Aldicarb	< LOQ	0.40	0.20	Pass
Azoxystrobin	< LOQ	0.20	0.20	Pass
Bifenazate	< LOQ	0.20	0.20	Pass
Bifenthrin	< LOQ	0.20	0.20	Pass
Boscalid	< LOQ	0.40	0.20	Pass
Carbaryl	< LOQ	0.20	0.20	Pass
Carbofuran	< LOQ	0.20	0.20	Pass
Chlorantraniliprole	< LOQ	0.20	0.20	Pass
Chlorfenapyr***	< LOQ	1.00	0.10	Pass
Chlorpyrifos	< LOQ	0.20	0.20	Pass
Clofentezine	< LOQ	0.20	0.20	Pass
Cyfluthrin***	< LOQ	1.00	0.10	Pass
Cypermethrin***	< LOQ	1.00	0.10	Pass
Daminozide	< LOQ	1.00	0.20	Pass
Diazinon	< LOQ	0.20	0.20	Pass
Dichlorvos	< LOQ	1.00	0.20	Pass
Dimethoate	< LOQ	0.20	0.20	Pass
Ethionphos	< LOQ	0.20	0.20	Pass
Etofenprox	< LOQ	0.40	0.20	Pass
Etoxazole	< LOQ	0.20	0.20	Pass
Fenoxycarb	< LOQ	0.20	0.20	Pass
Fenpyroximate	< LOQ	0.40	0.20	Pass
Fipronil***	< LOQ	0.40	0.10	Pass
Flonicamid	< LOQ	1.00	0.20	Pass
Fludioxonil***	< LOQ	0.40	0.20	Pass
Hexythiazox	< LOQ	1.00	0.20	Pass
Imazalil	< LOQ	0.20	0.20	Pass
Imidacloprid	< LOQ	0.40	0.20	Pass
Kresoxim-methyl	< LOQ	0.40	0.20	Pass

*** Compounds were tested on GC/MS. All others on LC/MS. Continued on next page...

Report ID: A0229-04 | Page 4 of 10 | Rev 19.8 06/20/2019

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Evaluation Detail



OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@prelab.com | Preelab.com

Pesticide Analysis

Evaluation Detail

Pesticide Name	Tested Value (ppm)	Pass Criteria (ppm)	LOQ (ppm)	Status Pass/Unsatisfactory
Malathion	< LOQ	0.20	0.20	Pass
Metaxyl	< LOQ	0.20	0.20	Pass
Methiocarb	< LOQ	0.20	0.20	Pass
Methomyl	< LOQ	0.40	0.20	Pass
MGK-264	< LOQ	0.20	0.20	Pass
Mylobutanil	< LOQ	0.20	0.20	Pass
Naled	< LOQ	0.50	0.20	Pass
Oxamyl	< LOQ	1.00	0.20	Pass
Paclobutrazol	< LOQ	0.40	0.20	Pass
Parathion-methyl***	< LOQ	0.20	0.10	Pass
Permethrin, cis-trans	< LOQ	0.20	0.20	Pass
Phosmet	< LOQ	0.20	0.20	Pass
Piperonyl butoxide	< LOQ	2.00	0.20	Pass
Prallethrin	< LOQ	0.20	0.20	Pass
Propiconazole	< LOQ	0.40	0.20	Pass
Propoxur	< LOQ	0.20	0.20	Pass
Pyrethrins (3 isomers)	< LOQ	1.00	0.20	Pass
Pyridaben	< LOQ	0.20	0.20	Pass
Spinosad (Spinosyn A)	< LOQ	0.20	0.20	Pass
Spiromesifen	< LOQ	0.20	0.20	Pass
Spirotetramat	< LOQ	0.20	0.20	Pass
Spiroxamine	< LOQ	0.40	0.20	Pass
Tebuconazole	< LOQ	0.40	0.20	Pass
Thiacloprid	< LOQ	0.20	0.20	Pass
Thiamethoxam	< LOQ	0.20	0.20	Pass
Trifloxystrobin	< LOQ	0.20	0.20	Pass

*** Compounds were tested on GC/MS. All others on LC/MS.

Report ID: A0229-04 | Page 5 of 10 | Rev 19.8 06/20/2019

Certificate of Analysis

Informational Use Only - Not For Regulatory Use

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Quality Check

PRE
LABORATORIES

OLCC License No: 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@prelab.com | Prelab.com

Pesticide Analysis

Testing Date: 2019-06-21

Quality Control Detail

Pesticide Name	Negative Control (P-BL)	Positive Control (LCS)	Expected Value (ppm)	Tested Value (ppm)	Pass Criteria (ppm)
Abamectin	o		< 0.1	< 0.1	< 0.1
Acephate	o		< 0.1	< 0.1	< 0.1
Acequinocyl	o		< 0.1	< 0.1	< 0.1
Acetamiprid	o		< 0.1	< 0.1	< 0.1
Aldicarb	o		< 0.1	< 0.1	< 0.1
Azoxystrobin	o		< 0.1	< 0.1	< 0.1
Bifenazate	o		< 0.1	< 0.1	< 0.1
Bifenthrin	o		< 0.1	< 0.1	< 0.1
Boscalid	o		< 0.1	< 0.1	< 0.1
Carbaryl	o		< 0.1	< 0.1	< 0.1
Carbofuran	o		< 0.1	< 0.1	< 0.1
Chlorantraniliprole	o		< 0.1	< 0.1	< 0.1
Chlorfenapyr***	o		< 0.05	< 0.05	< 0.05
Chlorpyrifos	o		< 0.1	< 0.1	< 0.1
Clofentezine	o		< 0.1	< 0.1	< 0.1
Cyfluthrin***	o		< 0.05	< 0.05	< 0.05
Cypermethrin***	o		< 0.05	< 0.05	< 0.05
Daminozide	o		< 0.1	< 0.1	< 0.1
Diazinon	o		< 0.1	< 0.1	< 0.1
Dichlorvos	o		< 0.1	< 0.1	< 0.1
Dimethoate	o		< 0.1	< 0.1	< 0.1
Ethoprophos	o		< 0.1	< 0.1	< 0.1
Etofenprox	o		< 0.1	< 0.1	< 0.1
Etoxazole	o		< 0.1	< 0.1	< 0.1
Fenoxycarb	o		< 0.1	< 0.1	< 0.1
Fenpyroximate	o		< 0.1	< 0.1	< 0.1
Fipronil***	o		< 0.05	< 0.05	< 0.05
Flonicamid	o		< 0.1	< 0.1	< 0.1
Fludioxonil***	o		< 0.05	< 0.05	< 0.05
Hexythiazox	o		< 0.1	< 0.1	< 0.1
Imazalil	o		< 0.1	< 0.1	< 0.1
Imidacloprid	o		< 0.1	< 0.1	< 0.1
Kresoxim-methyl	o		< 0.1	< 0.1	< 0.1

*** Compounds were tested on GC/MS. All others on LC/MS. Continued on next page...

Report ID: A0229-04 | Page 6 of 10 | Rev 19.8 06/20/2019



Meghan Brock
Quality Manager



C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Quality Check

OLCC License No: 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Pesticide Analysis

Quality Control Detail

Pesticide Name	Negative Control (P-BL)	Positive Control (LCS)	Expected Value (ppm)	Tested Value (ppm)	Pass Criteria (ppm)
Malathion	o		< 0.1	< 0.1	< 0.1
Metolaxyl	o		< 0.1	< 0.1	< 0.1
Methiocarb	o		< 0.1	< 0.1	< 0.1
Methomyl	o		< 0.1	< 0.1	< 0.1
MGK-264	o		< 0.1	3.26%	< 0.1
Myclobutanil	o		< 0.1	< 0.1	< 0.1
Naled	o		< 0.1	< 0.1	< 0.1
Oxamyl	o		< 0.1	< 0.1	< 0.1
Paclitaxel	o		< 0.1	< 0.1	< 0.1
Parathion-methyl***	o		< 0.05	< 0.05	< 0.05
Permethrin, cis-trans	o		< 0.1	< 0.1	< 0.1
Phosmet	o		< 0.1	< 0.1	< 0.1
Piperonyl butoxide	o		< 0.1	< 0.1	< 0.1
Prallethrin	o		< 0.1	< 0.1	< 0.1
Propiconazole	o		< 0.1	< 0.1	< 0.1
Propoxur	o		< 0.1	< 0.1	< 0.1
Pyrethrins (3 isomers)	o		< 0.1	< 0.1	< 0.1
Pyridaben	o		< 0.1	< 0.1	< 0.1
Spinosad	o		< 0.1	< 0.1	< 0.1
Spiromesifen	o		< 0.1	< 0.1	< 0.1
Spirotetramat	o		< 0.1	< 0.1	< 0.1
Spiroxamine	o		< 0.1	< 0.1	< 0.1
Tebuconazole	o		< 0.1	< 0.1	< 0.1
Thiadenoside	o		< 0.1	< 0.1	< 0.1
Thiamethoxam	o		< 0.1	< 0.1	< 0.1
Trifloxystrobin	o		< 0.1	< 0.1	< 0.1
Abamectin		•	1.5	98.63%	0.15 - 2.4
Acephate		•	1.5	96.41%	0.15 - 2.4
Acequinocyl		•	1.5	99.08%	0.15 - 2.4
Acetamiprid		•	1.5	101.92%	0.15 - 2.4
Aldicarb		•	1.5	69.26%	0.15 - 2.4
Azoxystrobin		•	1.5	98.30%	0.15 - 2.4
Bifenazate		•	1.5	98.39%	0.15 - 2.4

*** Compounds were tested on GC/MS. All others on LC/MS. Continued on next page...

Report ID: A0229-04 | Page 7 of 10 | Rev 19.8 06/20/2019

Certificate of Analysis

Informational Use Only - Not For Regulatory Use

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Quality Check

OLCC License No. 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com

PRE
LABORATORIES

Pesticide Analysis

Quality Control Detail

Pesticide Name	Negative Control (P-BL)	Positive Control (LCS)	Expected Value (ppm)	Tested Value (ppm)	Pass Criteria (ppm)
Bifenthrin	•	•	1.5	79.6%	0.15 - 2.4
Boscalid	•	•	1.5	107.32%	0.15 - 2.4
Carbaryl	•	•	1.5	96.64%	0.15 - 2.4
Carbofuran	•	•	1.5	87.72%	0.15 - 2.4
Chlorantraniliprole	•	•	1.5	103.85%	0.15 - 2.4
Chlorfenapyr***	•	•	1.5	108.80%	0.75 - 2.4
Chlorpyrifos	•	•	1.5	110.10%	0.15 - 2.4
Clofentazine	•	•	1.5	112.62%	0.15 - 2.4
Cyfluthrin***	•	•	1.5	88.73%	0.75 - 2.4
Cypermethrin***	•	•	1.5	87.07%	0.75 - 2.4
Daminozide	•	•	1.5	104.28%	0.15 - 2.4
Diazinon	•	•	1.5	110.60%	0.15 - 2.4
Dichlorvos	•	•	1.5	102.21%	0.15 - 2.4
Dimethoate	•	•	1.5	96.01%	0.15 - 2.4
Ethoprophos	•	•	1.5	111.05%	0.15 - 2.4
Etofenprox	•	•	1.5	110.61%	0.15 - 2.4
Etoxazole	•	•	1.5	107.07%	0.15 - 2.4
Fenoxycarb	•	•	1.5	101.07%	0.15 - 2.4
Fenpyroximate	•	•	1.5	101.38%	0.15 - 2.4
Fipronil***	•	•	1.5	105.27%	0.75 - 2.4
Flonicamid	•	•	1.5	93.79%	0.15 - 2.4
Fludioxonil***	•	•	1.5	99.93%	0.75 - 2.4
Hexythiazox	•	•	1.5	108.13%	0.15 - 2.4
Imazalil	•	•	1.5	117.03%	0.15 - 2.4
Imidacloprid	•	•	1.5	89.87%	0.15 - 2.4
Kresoxim-methyl	•	•	1.5	91.73%	0.15 - 2.4
Malathion	•	•	1.5	99.93%	0.15 - 2.4
Metaxyl	•	•	1.5	108.32%	0.15 - 2.4
Methiocarb	•	•	1.5	122.65%	0.15 - 2.4
Methomyl	•	•	1.5	110.64%	0.15 - 2.4
MGK-264	•	•	1.5	84.29%	0.15 - 2.4
Myclobutanil	•	•	1.5	115.09%	0.15 - 2.4
Naled	•	•	1.5	91.65%	0.15 - 2.4

*** Compounds were tested on GC/MS. All others on LC/MS. Continued on next page...

Report ID: A0229-04 | Page 8 of 10 | Rev 19.8 06/20/2019

Certificate of Analysis

Informational Use Only - Not For Regulatory Use

C + N AG

1515 W 5th St
Portland, OR 97229
jason.candnag@gmail.com
(503) 936-2788
Lic. #

Sample: 3B.1906.0686

Strain: T-Free Distillate
Batch#: ; Batch Size: g
Sample Received: 06/11/2019; Report Created: 06/24/2019
Harvest/Production Date:

T-Free Distillate

Concentrates & Extracts, Distillate
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Report: Quality Check

OLCC License No: 100870928DA | ORELAP ID: 4147
545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Pesticide Analysis

Quality Control Detail

Pesticide Name	Negative Control (P-BL)	Positive Control (LCS)	Expected Value (ppm)	Tested Value (ppm)	Pass Criteria (ppm)
Oxamyl	•	•	1.5	93.5%	0.15 - 2.4
Paclitaxel	•	•	1.5	97.71%	0.15 - 2.4
Parathion-methyl***	•	•	1.5	97.93%	0.75 - 2.4
Permethrin, cis-trans	•	•	1.5	112.38%	0.15 - 2.4
Phosmet	•	•	1.5	93.77%	0.15 - 2.4
Piperonyl butoxide	•	•	1.5	98.91%	0.15 - 2.4
Prallethrin	•	•	1.5	96.64%	0.15 - 2.4
Propiconazole	•	•	1.5	103.25%	0.15 - 2.4
Propoxur	•	•	1.5	97.35%	0.15 - 2.4
Pyrethrins (3 isomers)	•	•	1.5	105.63%	0.15 - 2.4
Pyridaben	•	•	1.5	108.88%	0.15 - 2.4
Spinosad	•	•	1.5	90.93%	0.15 - 2.4
Spiromesifen	•	•	1.5	99.52%	0.15 - 2.4
Spirotetramat	•	•	1.5	91.95%	0.15 - 2.4
Spiroxamine	•	•	1.5	94.20%	0.15 - 2.4
Tebuconazole	•	•	1.5	100.96%	0.15 - 2.4
Thiadoprid	•	•	1.5	97.07%	0.15 - 2.4
Thiamethoxam	•	•	1.5	113.08%	0.15 - 2.4
Trifloxystrobin	•	•	1.5	98.99%	0.15 - 2.4

*** Compounds were tested on GC/MS. All others on LC/MS.

Report ID: A0229-04 | Page 9 of 10 | Rev 19.8 06/20/2019