

CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14076

Report Issue Date: 6/27/2023

Order Date: 6/20/2023

Analysis Date: 6/27/2023

Sample Description:

D8 Flower Grape Ape

Unit Weight: 1g / Flower



Extraction Technician: LL

Analytical Chemist: LL

Abraham Jacaman
Laboratory Manager

CANNABINOID PROFILE -15 COUNTS

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	5.950	0.595
CBDV	<0.011	0.980	0.098
CBD-A	<0.008	146.120	14.612
CBG-A	<0.008	4.580	0.458
CBG	<0.007	1.290	0.129
CBD	<0.008	29.510	2.951
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.890	0.289
D8-THC	<0.005	20.330	2.033
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
CBC	<0.009	2.470	0.247

Analyte	LOQ (mg/g)	Results mg/flower	%
CBC-A	<0.005	6.390	0.639
THC-A	<0.03	3.660	0.366

Max Active THC	mg/flower	%
	7.79	0.78

Total Active Cannabinoids	mg/flower	%
	205.30	20.53

Max Active CBD	mg/flower	%
	157.66	15.77

Total Cannabinoids	mg/flower	%
	225.86	22.59

NOTES

[Empty box for notes]

Cannabidiol (CBD), Cannabidiolol (CBDA), Cannabigerol (CBG), Cannabigerolol (CBGA), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinol (THC), Tetrahydrocannabinolic Acid (THCA), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 03 Effective Date: 5/16/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)