CERTIFICATE OF ANALYSIS | HEMP QUALITY ASSURANCE TEST



Sample Name:

Sweetcake

Flower, Inhalable

Date Issued:	
01/06/2020)

Sample Details

Sample ID: 181009V005

Batch Number:

Batch Size: Show Less

Cultivator / Manufacturer

Business Name:

License Number:

Address: Hide Details er Distributor / Tested For Business Name: SN Holdings License Number: Address: See all samples (/client/6957/) Hide Details

Date Collected: 10/09/2018

Date Received: 10/10/2018



(https://sclaboratories.s3.amazonaws.com/sample_ Q Hover to Zoom In

Share

Easily share a link to this results page with your friends, followers, or business partners.

Copy link

Cannabinoid Analysis - Summary

View Full Results

Moisture: NT

Density: NT

Viscosity: NT

Sum of Cannabinoids: 20.23%

Total Cannabinoids: 17.75%

Total THC: 0.68%

Total CBD: 16.29%

4/3/2021	SC Labs Sweetcake	
Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = ∆9THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))		
Sum of Cannabinoids = \triangle 9THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + \triangle 8THC + CBL + CBN		
Total Cannabinoids = (∆9THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + ∆8THC + CBL + CBN		
Why are Sum of Cannabinoids and Total Cannabinoids calcu	Ilated separately? 🗸 🗸	
Terpenoid Analysis - Summary 35 TESTED, TOP 3 H Total Terpenoids: 1.937%	IIGHLIGHTED	<u>View Full Results</u>
1 Myrcene (0.569%) 2 β Caryophyllene (0.472%) 3 α Humulene (0.209%)	
Safety Analysis - Summary		View Full Results
Pesticides: Pass	Heavy Metals: NT	
Foreign Material: Pass	Mycotoxins: NT	
Microbial Impurities (PCR): Pass	Water Activity: NT	
Residual Solvents: NT	Microbial Impurities (Plating): NT	
Vitamin E: NT		

View Complete Test Results:

<u>Expand All</u>



Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

Summary

Total THC: 0.68% Total THC (Δ9THC+0.877*THCa)

Total CBD: 16.29% Total CBD (CBD+0.877*CBDa)

Total CBG: 0.66% Total CBG (CBG+0.877*CBGa)

Total THCV: NT Total THCV (THCV+0.877*THCVa)

Total CBC: NT Total CBC (CBC+0.877*CBCa)

Total CBDV: 0.12%

Total Cannabinoids: ⑦

17.75%

Cannabinoid Test Results | 10/12/2018

Result Views

Table	Pie Chart			Filter by
Compound		LOD/LOQ (mg/g) ⑦	Result (mg/g)	Result (%)
CBDA		0.005 / 0.1	182.8	18.28
THCA		0.006 / 0.1	7.2	0.72
CBGA		0.004 / 0.1	7.2	0.72
CBD		0.007 / 0.1	2.6	0.26
CBDVA		0.003 / 0.1	1.4	0.14
Д9ТНС		0.003 / 0.1	0.5	0.05
CBG		0.006 / 0.1	0.3	0.03
CBC		0.006 / 0.1	0.3	0.03
Δ8ТНС		0.009 / 0.1	ND	ND
THCV		0.005 / 0.1	ND	ND
CBDV		0.003 / 0.1	ND	ND
CBN		0.003 / 0.1	ND	ND
SUM OF CAN	NABINOIDS		202.3 mg/g	20.23%
Moisture Te	st Result	Density Test Result	Viscosity Tes	t Result
Not Teste	ed	Not Tested	Not Teste	d

Learn more

The cannabis plant contains dozens of active compounds called cannabinoids (https://www.sclabs.com/cannabinoids/). These compounds are the primary contributors to the psychoactive effects of cannabis.

<u>Cannabinoid testing (https://www.sclabs.com/cannabis/)</u> determines the potency of a sample to aid in dosage considerations.



Show More

Terpene analysis utilizing gas chromatography-flame ionization detection (GC-FID).

Method: QSP 1192 - Analysis of Terpenoids by GC-FID

Summary

Total Terpenoids (mg/g): 19.37 mg/g

Total Terpenoids (%): 1.937%

Dominant Terpenoids

Below are this sample's 3 most abundant terpenoids by volume.

- 1 Myrcene 0.569%
- 2 β Caryophyllene 0.472%
- 3 α Humulene 0.209%

Terpenoid Test Results | 10/13/2018

Result Views

Table	Bar Graph		Filter by
Compound		Result (mg/g)	Result (%)
Myrcene		5.69	0.569
βCaryophy	llene	4.72	0.472
α Humulene	,	2.09	0.209
a Bisabolol		1.74	0.174
Guaiol		1.17	0.117
Ocimene		0.89	0.089
Limonene		0.76	0.076
α Pinene		0.51	0.051

TOTAL	19.37 mg/g	1.937%
Fenchol	0.09	0.009
Phytol	0.15	0.015
Caryophyllene Oxide	0.23	0.023
Linalool	0.29	0.029
βPinene	0.31	0.031
Nerolidol	0.46	0.046

Compound	Result (mg/g)	Result (%)
Valencene	0.09	0.009
Terpineol	0.07	0.007
Borneol	0.04	0.004
Eucalyptol	0.03	0.003
Camphene	0.02	0.002
Terpinolene	0.01	0.001
Geraniol	0.01	0.001
Sabinene	0.00	0.000
α Phellandrene	0.00	0.000
3 Carene	0.00	0.000
α Terpinene	0.00	0.000
γ Terpinene	0.00	0.000
(-)-Isopulegol	0.00	0.000
Camphor	0.00	0.000
Isoborneol	0.00	0.000
Menthol	0.00	0.000
R-(+)-Pulegone	0.00	0.000
Geranyl Acetate	0.00	0.000
α Cedrene	0.00	0.000
p-Cymene	0.00	0.000
Citronellol	0.00	0.000
ΤΟΤΑΙ	19.37 mg/g	1.937%

Learn more

<u>Terpenoid analysis (https://www.sclabs.com/terpene-analysis/)</u> is crucial for differentiating between strains of cannabis, as <u>terpenoids (https://www.sclabs.com/terpene/)</u> have a major influence on the medical and psychological effects of a plant. The relationship between cannabinoids and terpeneoids is known as the "entourage effect."



Show More

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). *GC-MS utilized where indicated. https://client.sclabs.com/verify/181009V005/#cannabinoid-section

Filter by

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

LOD/LOQ Action Limit Compound (µg/g) ⁽²⁾ (µg/g) ⁽²⁾	Result (µg/g)	Result

Category 2 Pesticide Test Results | 10/13/2018 | PASS

Compound	LOD/LOQ (μg/g) ⑦	Action Limit (µg/g) ⑦	Result (µg/g)	Result
Abamectin	0.018935714 / 0.05	0.1	ND	Pass
Bifenazate	0.037841667 / 0.05	0.1	ND	Pass
Bifenthrin	0.002467857 / 0.25	3	ND	Pass
Boscalid	0.000589252 / 0.05	0.1	ND	Pass
Etoxazole	0.0000809524 / 0.05	0.1	ND	Pass
Imidacloprid	0.01730119 / 1.5	5	ND	Pass
Myclobutanil	0.00497619 / 0.05	0.1	ND	Pass
Piperonylbutoxide	0.000960714 / 1.5	3	ND	Pass
Pyrethrins	0.005771429 / 0.25	0.5	ND	Pass
Spinosad	0.016063095 / 0.05	0.1	ND	Pass
Spiromesifen	0.047424914 / 0.05	0.1	ND	Pass
Spirotetramat	0.056707143 / 0.05	0.1	ND	Pass

Learn more

Ingesting pesticides can be dangerous, even at the smallest doses. Our <u>pesticide analysis</u> (<u>https://www.sclabs.com/pesticide-testing/</u>) can detect trace amounts of chemical pesticides in dried flowers and cannabis concentrates.



Residual Solvents Analysis **Not Tested**

Heavy Metals Analysis **Not Tested**

4

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbial impurities.

Pass

Method: QSP 1221 - Analysis of Microbial Impurities

Microbial Impurities Analysis

/icrobial Impurities Test Results (PCR) 10/13/2018 PASS		Filter by	
Compound	Action Limit [®]	Result	Result
Shiga toxin-producing <i>Escherichia coli</i>	Detect	ND	Pass
Salmonella spp.	Detect	ND	Pass
Aspergillus fumigatus	Detect	ND	Pass
Aspergillus flavus	Detect	ND	Pass
Aspergillus niger	Detect	ND	Pass
Aspergillus terreus	Detect	ND	Pass

Learn more

<u>Microbial impurity testing (https://www.sclabs.com/microbial-impurity-testing/)</u> detects microorganisms such as bacteria, fungi, and yeast that thrive in the same conditions needed for cultivation. Some of these, especially E. coli, can be extremely harmful when ingested.

🔆 Foreign Material Analysis

Ilysis 🔗 Pass

Show More

Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

Method: QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

Foreign Material Test Results 10/10/2018 PASS		Filter by
Compound	Action Limit $?$	Result
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	Pass
Total Sample Area Covered by Mold	>25%	Pass
Total Sample Area Covered by an Imbedded Foreign Material	>25%	Pass
Insect Fragment Count	> 1 per 3 grams	Pass
Hair Count	> 1 per 3 grams	Pass
Mammalian Excreta Count	> 1 per 3 grams	Pass

Learn more

Our lab staff carefully inspects samples for filth and foreign material including but not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products.





COA ID: 181009V005-002

For quality assurance purposes. Not a Pre-Harvest Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 16 Effect Date January 16, 2019. Authority: Section 26013, Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS – Results within limits/specifications, FAIL – Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)

BCC License No. C8-0000013-LIC | ISO/IES 17025 : 2017 Accredited PJLA Accreditation Number 87168

About (https://www.sclabs.com/team/) Services (https://www.sclabs.com/services/) Resources (https://www.sclabs.com/resources/) Partners (https://www.sclabs.com/partners/) FAQ (https://www.sclabs.com/faq/)

Blog (https://www.sclabs.com/blog/) Events (https://www.sclabs.com/events/)

Support (https://www.sclabs.com/contact-us/) | Privacy (https://www.sclabs.com/privacy-policy/) | Terms (https://www.sclabs.com/terms/) | Careers (https://www.sclabs.com/careers/) | Contact Us (https://www.sclabs.com/contact-us/)

Phone: (866) 435-0709

Email: info@sclabs.com (https://www.sclabs.com/contact-us/)

Join our newsletter

me@example.com Send

© 2021 SC Labs. All rights reserved. All trademarks referenced are trademarks of either SC Labs or their respective owners.

(https://www.youtube.com/user/SantaCruzLabs)
(https://twitter.com/SCLaboratories)
(f)
(https://www.facebook.com/SCLaboratories/)
(bttps://instagram.com/_sclabs/)